Form PTO-1449 Docket Number 112418.122 **INFORMATION DISCLOSURE** JUH 2 4 2000 IN AN APPLICATION Applicant TRADEM' Georges (Use several sheets if necessary) Sheet 1 OF 7

Filing Date	Group Art Unit
November 13, 2001	1645

Application Number

10/010,310

	U.S. Patent Documents							
EXAMIN ER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE		

		Fore	ign Patent Docur	nents			
EXAMIN	DOCUMENT					TRANSLATION	
ER INITIAL	NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	YES	NO
88	WO 84 03564	09/13/84	PCT			~	
8¥	WO 96/41469		PCT			1/	
8V	EP 0 818 467	01/14/98	EUROPE				
84	WO 98 15833	4/16/98	PCT			V	
88	WO 99/21980		PCT				

		Other Documents (Including Author, Title, Date Pertinent Pages, Etc.)
8	C1.	Georges et al. (1990) "Detection of P-glycoprotein Isoforms By Gene-Specific Monoclonal Antibodies," 87 <i>Proc. Natl. Acad. Sci. USA</i> 152-156
88	C2.	Georges et al. (1993) "Topology of P-Glycoprotein as Determined By Epitope Mapping of MRK-16 Monoclonal Antibody," 268(3) <i>J. Biol. Chem.</i> 1792-1798
84	C3.	Cianfriglia et al. (1995) "P-Glycoprotein Epitope Mapping II The Murine Monoclonal Antibody MM6.15 to Human Multidrug-Resistant Cells Bind With Three Distinct Loops in the MDR1-P-Glycoprotein Extracellular Domain," 61 Cancer 142-147
88	C4.	PCT/CA00/00587 International Preliminary Examination Report dated July 26, 2001
88	C5.	Lowry et al. (1951) "Protein Measurement with the Folin Phenol Reagent," 193 <i>J. Biol. Chem.</i> 265-275
88	C6.	Edman et al. (1967) "A Protein Sequenator," 1 Eur. J. Biochem. 80-91
88	C7.	Laemmli (1970) "Cleavage of Structural Proteins During the Assembly of the Head of Bacteriophase T4," 227 Nature 680-685
<b>S</b>	C8.	Venter et al. (1972) "Shotgun Sequencing of the Human Genome," 280 Science 1540-1542
88	C9.	Vincent et al. (1972) "Trypsin-Pancreatic Trypsin Inhibitor Association. Dynamics of the Interaction and Role of Disulfide Bridges," 11 Biochemistry 2967-2977
88	C10.	Klotz et al. (1975) "Quaternary Structure of Proteins," <i>The Proteins</i> Neurath and Hill (eds.), Academic Press, Inc., NY pp. 293-411
81	C11.	Tschesche et al. (1975) The Amino-Acid Sequence of Isoinhibitor K from Snails (Helix pomalia) 58 Eur. J. Biochem. 439-451
88	C12.	Steitz et al. (1977) "High Resolution Crystal Structures of Yeast Hexokinase Complexes with Substrates, Activators, and Inhibitors," 252 J. Biol. Chem. 4494-4500
84	C13.	Towbin et al. (1979) "Electrophoretic Transfer of Proteins from Polyacrylamide Gels to Nitrocellulose Sheets: Procedure and Some Applications," 76 Proc. Natl. Acad. Sci. USA 4350-4354

Suitere R. Sell

3/2/05

RECEIVED

JUN 2 6 2002

INFORMATION DISCLOSURE IN AN APPLICATION

Docket Number 112418.122

Application Number 10/010,310

Applicant Georges

(Use several sheets if necessary)

Sheet 2 OF 7

Filing Date
November 13, 2001

Group Art Unit 1645

88	C14.	Susskind et al. (1982) "Bacteriophage P22 Antirepressor and Its Control," In R. W. Hendrix et al. (eds.), Lambda II, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, pp. 347-363
88	C15.	Beck et al. (1983) "Vinca Alkaloid-Resistant Phenotype in Cultured Human Leukemic Lymphoblasts," 67 Cancer Treat. 875-882
84	C16.	Flynn et al. (1983) "The Amino Acid Sequence of an Atrial Peptide with Potent Diuretic and Natriuretic Properties," 117 Biochem. Biophys. Res. Commun. 859-865
88	C17.	Porpaczy et al. (1983) "Association Between the α-Ketoglutarate Dehydrogenase Complex and Succinate Thiokinase," 749 <i>Biochem. Biophysica. Acta.</i> 172-179
88	C18.	Campbell (1984), Monoclonal Antibody Technology: Laboratory Techniques in Biochemistry and Molecular Biology, Elsevier Science Publisher, Amsterdam, The Netherlands
88	C19.	Gros et al. (1986) "Mammalian Multidrug Resistance Gene: Complete cDNA Sequence Indicates Strong Homology to Bacterial Transport Proteins," 47 Cell 371-380
88	C20.	Roninson et al. (1986) "Isolation of Human mdr DNA Sequences Amplified in Multidrug- resistant KB Carcinoma Cells," 83 <i>Proc. Natl. Acad. Sci. USA</i> 4538-4542
86	C21.	Safa et al. (1986) "Vinblastine Photoaffinity Labeling of a High Molecular Weight Surface Membrane Glycoprotein Specific for Multidrug-Resistant Cells," 261 <i>J. Biol. Chem.</i> 6137-6140
88	C22.	Morvan et al. (1987), "α-DNA I. Synthesis, characterization by high field <sup>1</sup> H-NMR, and Base-pairing properties of the unnatural hexadeoxyribonucleotide α-[d(CpCpTpTpCpC)] with its complement β-[d(GpGpApApGpG)], 14 <i>Nucl. Acids Res.</i> 5019-5035
88	C23.	Van der Bliek et al. (1987) "The Human mdr3 Gene Encodes a Novel P-Glycoprotein Homologue and Gives Rise to Alternatively Spliced mRNAs in Liver," 6 The EMBO J. 3325-3331
84	C24.	Haga et al. (1988) "GTP-binding-protein-coupled Receptor Kinase 2 (GRK2) Binds and Phosphorylates Tubulin," 255 Eur. J. Biochem. 363-368
84	C25.	Harlow et al. (1988), Antibody – A Laboratory Manual, Cold Spring Harbor Laboratories, Cold Spring Harbor, NY
88	C26.	Landschulz et al. (1988) "The Leucine Zipper: A Hypothetical Structure Common to a New Class of DNA Binding Proteins," 240 Science 1759-1764
88	C27.	Martini et al. (1988) "Inherited Demyelinating neurpathies: From Gene to Disease, " 11 Curr. Opin. Neurol. 545-556
84	C28.	Prelich et al. (1989) "Functional Identity of Proliferating Cell Nuclear Antigen and a DNA Polymerase-δ Auxiliary Protein," 326 Nature 517-520
g	C29.	Sambrook et al. (1989), <i>Molecular Cloning – A Laboratory Manual</i> , Cold Spring Harbor Laboratories, Cold Spring Harbor, NY
88	C30.	Boscoboinik et al. (1990) "Dimerization of the P-glycoprotein in Membranes," 1027  Biochimica et Biophysica Acta 225-228
88	C31.	Chambers et al. (1990) "Correlation of Protein Kinase G Translocation, P-glycoprotein Phosphorylation and Reduced Drug Accumulation in Multidrug Resistant Human KB Cells," 169 Biochem. Biophys. Res. Commun. 253-259
88	C32.	Devault et al. (1990) "Two Members of the Mouse <i>mdr</i> Gene Family Confer Multidrug Resistance with Overlapping but Distinct Drug Specificities," 10 Mol. Cell. Biol. 1652-1663

Dailen R. Babel

अथे०ऽ RECEIVED

JUN 2 6 2002

Form PTO-1449

INFORMATION DISCLOSURE IN AN APPLICATION

Docket Number 112418.122 **Application Number** 10/010,310

Applicant Georges

(Use several sheets if necessary)

7

Filing Date

Group Art Unit

3 OF Sheet

November 13, 2001

1645

84	C33.	Ford et al. (1990) "Pharmacology of Drugs that Alter Multidrug Resistance in Cancer," 42 Pharmacol. Rev. 155-199
88	C34.	Georges et al. (1990) "Multidrug Resistance and Chemosensitization: Therapeutic Implications for Cancer Chemotherapy," 21 Advances in Pharmacol. 185-220
84	C35.	Grogan et al. (1990) "Optimization of Immunocytochemical P-Glycoprotein Assessment in Multidrug-Resistant Plasma Cell Myeoloma Using Three antibodies," 63 Lab. Invest. 815-824
8%	C36.	Herweijer et al. (1990) "Expression of mdr 1 and mdr3 Multidrug-resistance Genes in Human Acute and Chronic Leukeimas and Association With Stimulation of Drug Accumulation by Cyclosporine," 82 J. Nat. Cancer Inst. 1133-1140
88	C37.	Ro et al. (1990) "Immunohistochemical Analysis of P-Glycoprotein Expression Correlated with Chemotherapy Resistance in Locally Advanced Breast Cancer," 21 <i>Human Pathol.</i> 787-791
88	C38.	Weinstein et al. (1990) "P-Glycoproteins in Pathology: The Multidrug Resistance Gene Family in Humans," 21 <i>Human Pathol.</i> 34-48
84	C39.	Chan et al. (1991) "P-glycoprotein Expression as a Predictor of the Outcome of Therapy for Neuroblastoma," 325 N. E. Journ. Med. 1608-1614
N	C40.	Georges et al. (1991) "Modulation of ATP and Drug Binding by Monoclonal Antibodies Against P-Glycoprotein," 148 <i>J. Cell. Physiol.</i> 479-484
88	C41.	Schinkel et al. (1991) "Characterization of the Human MDR3 P-Glycoprotein and Its Recognition by P-Glycoprotein-specific Monoclonal Antibodies," 51 Cancer Res. 2628-2635
88	C42.	Verrelle et al. (1991) "Clinical Relevance of Immunohistochemical Detection of Multidrug Resistance P-Glycoprotein in Breast Carcinoma," 83 J. Nat. Cancer Inst. 111-116
88	C43.	Bates et al. (1992) "Modulation of P-Glycoprotein Phosphorylation and Drug Transport by Sodium Butyrate," 31 <i>Biochem.</i> 6366-6372
88	C44.	Gill et al. (1992) "Separation of Drug Transport and Chloride Channel Functions of the Human Multidrug Resistance P-glycoprotein," 71 Cell 23-32
8	C45.	Higgins (1992) "ABC Transporters: From Microorganisms to Man," 8 <i>Ann. Rev. of Cell Biol.</i> 67-113
81	C46.	Naito et al. (1992) "Functionally Active Homodimer of P-Glycoprotein in Multidrug-Resistant Tumor Cells," 185 <i>Biochem. Biophys. Res. Commun.</i> 284-290
88	C47.	Pawson et al. (1992) "SH2 and SH3 Domains: From Structure to Function," 71 Cell 359-362
88	C48.	Valverde et al. (1992) "Volume-regulated Chloride Channels Associated with the Human Multidrug-resistance P-glycoprotein," 355 Nature 830-833
84	C49.	Adorini et al. (1993) "Selective Inhibition of T cell Responses by Protein and Peptide-based Immunotherapy," 8 Clin. Exp. Rheumatol. S41-44
8%	C50.	Bates et al. (1993) "Differential Modulation of P-Glycoprotein Transport by Protein Kinase Inhibition," 37 <i>Biochemistry</i> 9156-9264
86	C51.	Chambers et al. (1993) "Identification of Specific Sites in Human P-glycoprotein Phosphorylated by Protein Kinase C*," 268 J. Biol. Chem. 4592-4595
88	C52.	Felder et al. (1993) "SH2 Domains Exhibit High-Affinity Binding to Tyrosine-Phosphorylated Peptides yet Also Exhibit Rapid Dissociation and Exchange," 13 Mol. Cell. Biol. 1449-1455
88	C53.	Futscher et al. (1993) "Quantitive Polymerase Chain Reaction Analysis of mdr1 mRNA in Multiple Myeloma Cell Lines and Clinical Specimens," 213 Anal. Biochem. 414-421

Brilere R. Bahel

3/2/0 RECEIVED

JUN 2 6 2002

Form PTO-1449 Sheet

	INFORMATION DISCLOSURE
\	IN AN APPLICATION

4

**Docket Number** 112418.122 Application Number 10/010,310

7

(Use several sheets if necessary)

OF

Georges

Applicant

Filing Date

Group Art Unit

November 13, 2001

1645

88	C54.	Gottesman et al. (1993) "Biochemistry of Multidrug Resistance Mediated by the Multidrug Transporter," 62 Ann. Rev. Biochem. 385-427
		Li et al. (1993) "Guanine-nucleotide-releasing Factor hSos1 Binds to Grb2 and Links
84	C55.	Receptor Tyrosine Kinases to Ras Signalling," 363 Nature 85-88
6	C56.	List et al. (1993) "Phase I/II Trial of Cyclosporine as a Chemotherapy-Resistance Modifier in
88	C56.	Acute Leukemia," 11 J. Clin. Oncol. 1652-1660
88	C57.	Safa et al. (1993) "Photoaffinity Labeling of P-Glycoprotein in Multidrug-Resistant Cells," 11 Cancer Invest. 46-56
CH	C58.	Smit et al. (1993) "Homozygous Disruption of the Murine <i>mdr2</i> P-Glycoprotein Gene Leads to a Complete Absence of Phospholipid from Bile and to Liver Disease," 75 <i>Cell</i> 451-462
SY	C59.	Ahmad et al. (1994) "Modulation of P-Glycoprotein by Protein Kinase <i>Ca</i> in a Baculovirus Expression System," 33 <i>Biochem.</i> 10313-10318
	C60.	Ausubel et al. (1994), Current Protocols in Molecular Biology, Wiley, New York, NY
81	C61.	Buschman et al. (1994) "The Inability of the Mouse <i>mdr2</i> Gene to Confer Multidrug Resistance Is Linked to Reduced Drug Binding to the Protein," 54 Cancer Res. 4892-4898
88	C62.	Chambers et al. (1994) "Phosphorylation by Protein Kinase C and Cyclic AMP-dependent Protein Kinase of Synthetic Peptides from the Liver Region of Human P-glycoprotein," 299 Biochem. J. 309-315
81	C63.	Childs et al. (1994) "The MDR Superfamily of Genes and Its Biological Implications," Important Adv. Oncol. Pp. 21-36
88	C64.	Cornelissen et al. (1994) "MDR-1 Expression and Response to Vincristine, Doxorubicin, and Dexamethasone Chemotherapy in Multiple Myeloma Refractory to Alkylating Agents," 12 J. Clin. Oncol. 115-119
88	C65.	Fields et al. (1994) "The Two-hybrid System: An Assay for Protein-protein Interactions," 10 Trend. Genet. 286-292
81	C66.	Nare et al. (1994) "Benzimidazoles, Potent Anti-Mitotic Drugs: Substrates for the P-Glycoprotein Transporter in Multidrug-Resistant Cells," 48 Biochem. Pharmacol. 2215-2222
g18	C67.	Nooter et al. (1994) "Clinical Relevance of P-Glycoprotein Expression in Haematological Malignancies," 18 Leukemia Res. 233-243
88	C68.	Ruetz et al. (1994) "Functional Expression of P-glycoproteins in Secretory Vesicles," 269 J. Biol. Chem. 12277-12284
88	C69.	Schinkel et al. (1994) "Disruption of the Mouse <i>mdrla</i> P-Glicoprotein Gene Leads to a Deficiency in the Blood-Brain Barrier and to Increased Sensitivity to Drugs," 77 Cell 491-502
81	C70.	Sonneveld et al. (1994) "Clinical Modulation of Multidrug Resistance in Multiple Myeolma: Effect of Cyclosporine on Resistant Tumor Cells," 12 J. Clin. Oncol. 1584-1591
98	C71.	Bates et al. (1995) "A Pilot Study of Amiodarone with Infusional Doxorubicin or Vinblastine in Refractory breast Cancer," 35 Cancer Chemother. & Pharmacol. 457-463
88	C72.	Chan et al. (1995) "Multidrug Resistance in Pediatric Malignanacies," 9 HematolOncol. Clin. of N. Amer.I 275-318
81	C73.	Dalton et al. (1995) "A Phase III Randomized Study of Oral Verapamil as a Chemosensitizer to Reverse Drug Resistance in Patients with Refractory Myeloma," 75 Cancer 815-820
8	C74.	Goldstein (1995) "Clinical Reversal of Drug Resistance," 19 Curr. Probl. Cancer 65-124
8/	C75.	Gottesman et al. (1995) "Genetic Analysis of the Multidrug Transporter," 29 Annu. Rev. Genet. 607-649
		1 0 2/2/25

Dro'lene R. Sabel

श्रद्धा RECEIVED

JUN 2 6 2002

Form PTO-1449

INFORMATION DISCLOSURE IN AN APPLICATION

5

Sheet

(Use several sheets if necessary)

OF

Docket Number 112418.122 **Application Number** 10/010,310

Applicant Georges

Filing Date

Group Art Unit

7

November 13, 2001

1645

		Hardy et al. (1995) "Protein Kinase C-mediated Phosphorylation of the Human Multidrug
88	C76.	Resistance P-glycoprotein Regulates Cell Volume-activated Chloride Channels," 14 The EMBO Journal 68-75
100		Heldin (1995) "Dimerization of Cell Surface Receptors in Signal Transduction," 80 Cell 213-
83	C77.	223
818	C78.	Hoogenboom et al. (1995) "Antibody Phage Display Technology and Its Application," 4 Immunotechnology 1-20
84	C79.	Jacobson et al. (1995) "Revisiting the Fluid Mosaic Model of Membranes," 268 Science 1441-1442
88	C80.	Loo et al. (1995) "Membrane Topology of a Cysteine-less Mutant of Human P-glycoprotein," 270 J. Biol. Chem. 843-848
88	C81.	Perrot-Applanat et al. (1995) "The 59 kDa FK506-binding Protein, a 90 kDa Heat Shock Protein Binding Immunophilin (FKBP59-HBI), Is Associated with the Nucleus, the Cytoskeleton and Mitotic Apparatus," 108 J. Cell. Sci. 2037-2051
84	C82.	Phizicky et al. (1995) "Protein-protein Interactions: Methods for Detection and Analysis," 59 <i>Microbiol. Rev.</i> 94-123
88	C83.	Sako et al. (1995) "Barriers for Lateral Diffusion of Transferrin Receptor in the Plasma Membrane as Characterized by Receptor Dragging by Laser Tweezers: Fence versus Tether," 129 J. Cell. Biol. 1559-1574
SV	C84.	Stanfield et al. (1995) "Protein-peptide Interactions," 5 Curr. Opin. Struct. Biol. 103-113
88	C85.	Wilson et al. (1995) "Coupled Translation/Prenylation of Rab Proteins in Vitro," 250 Methods. Enzymol. 79-91
88	C86.	Cole et al. (1996) "Multidrug Resistance Associated with Overexpression of MRP," 87  Cancer Treatment & Res. 39-62
88	C87.	Germann et al. (1996) "Characterization of Phosphorylation-defective Mutants of Human P-glycoprotein Expressed in Mammalian Cells," 271 <i>J. Biol. Chem.</i> 1708-1716
Ø	C88.	Gupta (1996) "P-glycoprotein Expression in Normal Hematopoietic Progenitors and Cells of the Immune System" in <i>Multidrug Resistance in Cancer Cells: Molecular, Biochemical, Physiological and Biological Aspects</i> , Editors Gupta, S. and Tsuruo, T., John Wiley & Sons, pp. 293-302
81	C89.	Mailliard et al. (1996) "Calcium-dependent Binding of S100C to the N-terminal Domain of Annexin I," 271 J. Biol. Chem. 719-725
84	C90.	Molina et al. (1996) "Improved Performance of Spot Multiple Peptide Synthesis," 9 Pept. Res. 151-155
84	C91.	O'Brien et al. (1996) "P-glycoprotein Expression in Normal Human Tissues," in Multidrug Resistance in Cancer Cells: Molecular, Biochemical, Physiological and Biological Aspects, Editors Gupta, S. and Tsuruo, T., John Wiley & Sons, pp. 285-292
84	C92.	Reed et al. (1996) "BCL-2 Family Proteins: Regulators of Cell Death Involved in the Pathogenesis of Cancer and Resistance to Therapy," 60 <i>J. Cell. Biochem.</i> 23-32
88	C93.	Tousson et al. (1996) "Apical Recruitment of CFTR in T-84 Cells Is Dependent on cAMP and Microtubules but not Ca2+ or Microfilaments," J. Cell. Sci. 1325-1334
46	C94.	Wigler (1996) 28 "Cellular Drug Efflux and Reversal Therapy of Cancer," J. Bioenerg. Biomembr. 279-284
88	C95.	Chen et al. (1997) "Recognition of Neutral Species with Synthetic Receptors," 1 Curr. Opin. Chem. Biol. 458-466
		A / 1 / 1 / 2/2/25

Brilene R. Ozhl 3/2/ RECEIVED

JUN 2 6 200?

## INFORMATION DISCLOSURE IN AN APPLICATION (Use several sheets if necessary) Docket Number 112418.122 10/010,310 Applicant Georges

<u> </u>		
88	C96.	Ehrmann et al. (1997) "Prognostic Factors in Astrocytomas: Relationship of p53, MDM-2. BCL-2 and PCNA Immunohistochemical Expression to Tumor Grade and Overall Patient survival," 44 Neoplasma 299-304
Q(	C97.	Glavy et al. (1997) "Identification of the <i>in Vivo</i> Phosphorylation Sites for Acidic-directed Kinases in Murine <i>mdr</i> 1b P-glycoprotein," 272 <i>J. Biol. Chem.</i> 5909-5914
88	C98.	Kast et al. (1997) "Topology Mapping of the Amino-terminal Half of Multidrug Resistance-associated Protein by Epitope Insertion and Immunofluorescence," 272 J. Biol. Chem. 26479-26487
88	C99.	Kuriyan et al. (1997) "Modular Peptide Recognition Domains in Eukaryotic Signalling," 26 Ann. Rev. Biophys. Biomol. Struct. 259-288
88	C100.	Ling (1997) "Multidrug Resistance: Molecular Mechanisms and Clinical Relevance," 40 Cancer Chemother. Pharmacol. Suppl. S3-8
88	C101.	McCoy et al. (1997) "Hydrophobic Side-chain Size Is A Determinant of the Three- Dimensional Structure of the p53 Oligomerization Domain," 16 EMBO J. 6230-6236
88	C102.	Ravindra (1997) "Is Signal Transduction Modulated by an Interaction Between Heterotrimeric G-Proteins and Tubulin?" 7 Endocrine 127-143
88	C103.	Rosenberg et al. (1997) "Structure of the Multidrug Resistance P-glycoprotein to 2.5 nm Resolution Determined by Electron Microscopy and Image Analysis," 272 J. Biol. Chem. 10685-10694
88	C104.	Alba et al. (1998) "Rapid Fluorescent Monitoring of Total Protein Patterns on Sodium Dodecyl Sulfate-polyacrylamide gels and Western Blots Before immunodetection and Sequencing," 19 Electrophoresis 2407-2411
88	C105.	Giustetto et al. (1998) "Localization of the Clustering Protein Gephyrin at GABAergic Synapses in the Main Olfactory Bulb of the Rat," 395 J. Comp. Neurol. 231-244
88	C106.	Klemm et al. (1998) "Dimerization as a Regulatory Mechanism in Signal Transduction," 16 Ann. Rev. Immunol. 569-592
88	C107.	Lee et al. (1998) "Increased P-glycoprotein Messenger RNA Stability in Rat Liver Tumors in Vivo," 177 J. Cell. Physiol. 1-12
88	C108.	Miller et al. (1998) "Oligonucleotide Inhibitors of Gene Expression in Living Cells: New Opportunities in Drug Design," 23 Ann. Reports Med. Chem. 295-304
88	C109.	Ramsay et al. (1998) "DNA Chips: State-of-the Art," 16(1) Natl. Biotechnol. 40-44
88	C110.	Schena et al. (1998) "Microarrays: Biotechnology's Discovery Platform for Functional Genomics," 16(7) Trends Biotechnol. 301-306
88	C111.	Stefanou et al. (1998) "p53 /MDM Immunohistochemical Expression Correlated with Proliferative Activity in Different Subtypes of Human Sarcomas: A Ten-Year Follow-up Study," 18 Anticancer 4673-4681
B	C112.	Stevenson et al. (1998) "Coupling Capillary High-Performance Liquid Chromatography to Matrix-Assisted Laser Desorption/Ionization Mass Spectrometry and N-Terminal Sequencing of Peptides via Automated Microblotting onto Membrane Substrates," 262 Anal. Biochem. 99-109
88	C113.	Brown et al. (1999) "Exploring the New World of the Genome with DNA Microarrays," 21(1) Nat. Genet. 33-37
8X	C114.	Cheung et al. (1999) "Making and Reading Microarrays," 21(1) Nat. Genet. 15-19
88	C115.	Duggan et al. (1999) "Expression Profiling Using cDNA Microarrays," 21(1) Natl. Genet. 10-
		A PAGE

RECEIVED

JUN 2 6 2002

INFORMATION DISCLOSURE IN AN APPLICATION  (Use several sheets if necessary)				Docket Number Application Number 112418.122 10/010,310		
				Applica Georg		
				Filing Date	Group Art Unit	
Sheet	7	OF	7	November 13, 2001	1645	

88	C116.	Jolliet-Riant et al. (1999) "Drug Transfer Across the Blood-Brain Barrier and Improvement of Brain Delivery," 13 Fundam. Clin. Pharmacol. 16-26
88	C117.	Debouck et al. (1999) "DNA Microarrays in Drug Discovery and Development," 21 Nature Genetics Supplement, 48-50
88	C118.	Fine et al (1988) "Phorbol Esters Induce Multidrug Resistance in Human Breast Cancer Cells," 85 Proc. Natl. Acad. Sci. 582-586
88	C119.	O'Brien et al. (1996) "P-glycoprotein Expression in Normal Human Tissues," in S. Gupta and T. Tsurucy (eds.), John Wiley & Sons Ltd., <i>Multidrug Resistance in Cancer Cells</i> , 285-291
&	C120.	Watanabe et al. (1995), "Comparative Study on Reversal Efficacy of SDZ PSC 833, Cyclosporin A and Verapamil on Multidrug Resistance In Vitro and In Vivo," 34 Acta Oncologica, 235-241
83	C121.	Robert F. Ozols, Editor-in-Chief, "Clinical Reversal of Drug Resistance," in <i>Current Problems In Cancer</i> , Volume XIX, Number 2, March/April 1995, 67-124

tailere R. Sahel 3/2/05

RECEIVED

JUN 2 6 2002